


POWER CAB INDUSTRIES

AN ISO 9001:2015 CERTIFIED COMPANY



www.zealconwires.com

An ISO 9001:2015 CERTIFIED CO.



SINGLE CORE PVC INSULATED INDUSTRIAL / DOMESTIC WIRES

AREA in SQ.MM	CONDUCTOR CONSTRUCTION	Max. DC Resistance Ohm/KM at 20 c	Insulation Thickness In MM	Current Rating In Amp.	Cond. Dia. In MM	Wire Dia. In MM
0.5	16/0.2	39	0.6	5	0.94	2.55
0.75	24/0.20	26	0.6	8	1.2	2.55
1	32/0.20	19.5	0.6	13	1.34	2.75
1.5	30/0.25, 48/0.20	13.3	0.6	17	1.64	3
2.5	50/0.25, 80/0.20	7.98	0.7	24	2.08	3.7
4	56/0.30	4.95	0.8	30	2.61	4.4
6	84/0.30	3.3	0.8	38	3.5	5.4
10	140/0.30	1.91	1	52	4.6	6.7
16	226/0.30	1.21	1	70	5.9	9

PRODUCT RANGE

INDUSTRIAL WIRES - FR/FRLS/RoHS

DOMESTIC WIRES AND CABLES

BRAIDED COPPER FLEXIBLE

ALLUMINIUM SERVICE WIRE


SUBMERCIBLE FLAT CABLES



POWER CAB INDUSTRIES, MIDC AMBAD NASHIK MAH, INDIA.

ECONOMIC RANGE

CODE	SIZE	DISCRIPTION		TECH. SP.	
Z001	1 Sq.mm	ZEALCON GOLD		14/0.210	
Z002					
Z003	1.5 sq.mm	ZEALCON GOLD			
Z004				21/0.210	
Z005	2.5 sq.mm	ZEALCON GOLD			
Z006				35/0.210	
Z007	4 sq.mm	ZEALCON GOLD			
				56/.210	
2 core cable					
Z011	1 sq.mm (0.5)	HALOGEN WIRE		16/0.2	
Z012	1.5 MM			24/0.2	
Z013	1 MM	BLACK CABLE		40/40	
Z014	1.5 sq.mm	Round cable		24/0.2	
Z015					
Z016	1 SQ.MM	TRANSPERENT		16/.2	
Z017	2.5 SQ.MM	HALOGEN WIRE		42/.2	
Z018	23/52	2 CORE CABLE		12/0.2	
3 core cable					
Z021	1 Sq.mm(0.5)	cable		16/0.2	
Z022	1.5 sq.mm(0.75)	cable		24/0.2	
TWISTED FLEXIBLE WIRES					
Z031	23/36	FLEXIBLE		10/(40)	
Z032	40/36	FLEXIBLE		13/(40)	
Z033	40/40	FLEXIBLE		17/(40)	
Z034	10/(38)	SPEAKER WIRE WHITE		9/(38)	
Z035		SPEAKER WIRECRYST			
ALLUMINIUM SERVICE WIRE					
Z071	2.5 SQ.MM	2 CORE	90 MTR		
Z072	4.0 SQ.MM	2 CORE	90 MTR		
Z073	6.0 SQ.MM	2 CORE	90 MTR		
Z074	10.0 SQ.MM	2 CORE	90 MTR		



POWER CAB INDUSTRIES, MIDC AMBAD NASHIK MAH, INDIA.

PRODUCTS



HALOGEN WIRE

SIZE : 1.0 SQ.MM
TYPE : 2 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : 6 Amp.
VOLTAGE : 660/1100 V
COLOUR : ORANGE
LENGTH : 60 / 90 / 180 M



HALOGEN WIRE

SIZE : 1.5 SQ.MM
TYPE : 2 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : 9 Amp.
VOLTAGE : 660/1100 V
COLOUR : YELLOW
LENGTH : 60 / 90 / 180 M



HALOGEN WIRE

SIZE : 2.5 SQ.MM
TYPE : 2 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : 14 Amp.
VOLTAGE : 660/1100 V
COLOUR : RED
LENGTH : 60 / 90 / 180 M



MULTISTRAND HOUSE WIRES

SIZE : 1.0 , 1.5, 2.5, 4.0, 6.0 SQ.MM
TYPE : SINGLE CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : -
VOLTAGE : 660/1100 V
COLOUR : ALL
LENGTH : 90 M

POWER CAB INDUSTRIES, MIDC AMBAD NASHIK MAH, INDIA.



MULTICORE CABLES

SIZE : 0.5 - 4.0 SQ.MM
TYPE : 2 , 3 , 4 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : -
VOLTAGE : 660/1100 V
COLOUR : BLACK
LENGTH : 90 M



SUBMERCIBLE FLAT CABLES

SIZE : 2.5 , 4.0 , 6.0 SQ.MM
TYPE : 3 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : -
VOLTAGE : 660/1100 V
COLOUR : BLACK
LENGTH : 300 M, 500 M



ALLUMINIUM SERVICE WIRE

SIZE : 2.5 , 4.0 , 6.0 , 8.0 , 10 SQ.MM
TYPE : 2 CORE
GRADE : ALLUMUNIUM
CURRENT CAPACITY : -
VOLTAGE : 660/1100 V
COLOUR : BLACK
LENGTH : 90 M, 180 M, 300 M



TWISTED FLEXIBLE WIRE

SIZE : 23/36, 40/36 , 40/40
TYPE : 2 CORE
GRADE : ELECTRO COPPER
CURRENT CAPACITY : -
VOLTAGE : 240 V
COLOUR : -
LENGTH : 90 YARD , 90 MTR



SPEAKER WIRE

SIZE : 18/42 , 9/38
 TYPE : 2 CORE
 GRADE : ELECTRO COPPER
 CURRENT CAPACITY : 2 Amp
 VOLTAGE : 240 V
 COLOUR : WHITE
 LENGTH : 90 M



CRYSTAL SPEAKER WIRE

SIZE : 18/42 , 9/38
 TYPE : 2 CORE
 GRADE : ELECTRO COPPER
 CURRENT CAPACITY : 2 Amp.
 VOLTAGE : 240 V
 COLOUR : CRYSTEL
 LENGTH : 90 M



2 CORE CRYSTAL WIRE


SIZE : 23/52 , 40 /52
 TYPE : 2 CORE
 GRADE : ELECTRO COPPER
 CURRENT CAPACITY : -
 VOLTAGE : 660/1100 V
 COLOUR : Crystel
 LENGTH : 90 M



MAINS POWER CORDS

SIZE : ALL
 TYPE : 2 PIN , 3 PIN
 GRADE : ELECTRO COPPER
 CURRENT CAPACITY : -
 VOLTAGE : 240 V
 COLOUR : BLACK, WHITE
 LENGTH : -

POWER CAB INDUSTRIES, MIDC AMBAD NASHIK MAH, INDIA.



POWER CAB INDUSTRIES




Registered office

Plot No- 12-14 / 1 , Survey No- 911/ 3 , Oppo. Police Quarter, Wasan
Nagar, Pathardi Phata Nashik 422009, MAH INDIA.
Contact - Mr. Vaibhav B. Kapadane - 9011647022

Factory

Plot No- 2 Survey No- 123 / 3 / 3 / 2, Ambad Gaon, Near Ambad School,
MIDC Ambad Nashik 422010, MAH , INDIA.

www.zealconwires.com



POWER CAB INDUSTRIES, MIDC AMBAD NASHIK MAH, INDIA.